


DETAIL AREA 04

1:100



(1) BLOCK PAVING (MAIN PEDESTRIANISED SURFACE)

'Beta - Silver Haze', 3 tone mid grey block by Brett or similar approved - Jumper 210x280x80mm laid stretcher course with sand filled joints to standard Brett paving pattern no. 6.

DILOCK PAVING (FEATURE BANDS)

Beta - Charcoal' dark grey block by Brett or similar approved - Jumper 210x280x80mm laid to match adjacent stretcher course with sand filled joints to standard Brett paving pattern no. 6.

3 BLOCK PAVING (CARRIAGEWAY SURFACE) Beda - Silver Haze*, 3 tone mid grey block by Brett or similar approved - Medium 140x140x80mm / Extra Large 252x140x80mm / Jumper 210x280x80mm laid herringbone to standard Brett paving patien no.21.

 CARRIAGEWAY DEMARCATION
 Community Demarkation
 Carrian upstand kerb. 'Norktone' - Charocal' 25mm upstand square kerb by Brett or similar approved. 125x255mm and an additional double steticher course of 'Beta - Silver Haze' block by Brett or similar approved – Large. 140x210x80mm with sand filled joints

- SORBITAL CYCLE ROUTE (PART OF INFRASTRUCTURE)
 Sm Wide high quality SMA with red surfacing

 - (6) HOT ROLLED ASPHALT (HRA) SURFACING (PART OF INFRASTRUCTURE)

CINEAR RAIN GARDEN

Dianting tolerant of wet & dry conditions set 50mm below paying level to collect rain-water run off. Edged with 250x50x914mm 'Charcoal' flat top edging and demArcaled using 400x400x50 'Natural' directional paving as supplied by Bretts, or similar approved. Refer to dwg. 628.13 306/03 for typical details.

BOLLARDS

B 28.88.14 RT MJ

Pico Pebble Sealing by Ben Barrell.co.uk or similar approved. DNO. AMENDED TO LATEST PROPOSALS

Cast concrete pebbles, Medium - 1050k/700x380mm) A 22.88.14 RT MJ

BURRASTRUCTURE BOUNDARY ADDED

agency

Aviator Court, Cilton Moor, York, YO30 4UZ Tel: 01904 691630 Fec: 01904 691634

BARRATT EASTERN COUNTIES

DARWIN GREEN ONE

(9) FOLDABLE TIMBER BOLLARDS

Square profile hardwood bollard used as a transitional marker to FOR INFORMATION green comidors. 150mm section timber

(D) CYCLE STANDS (8NO.)
'Sheffleid' type cycle parking stands, finished in powder coated to RAL9005 - Jet Black and root fixed below ground.

(11) BINS (Refuse, Recycling and Dog as per infrastructure package)

(2) 'THE SQUARE' DUAL RECYCLING BINS 's16' dual recycling bins, by OMOS or similar approved. Polyester powder coated with Ild and side-opening door, to RAL9005 - Jet

3 SIGNAGE & WAYFINDING 'Coda Monolith' aluminium signage by Woodhouse or similar

Black (Refuse) and standard green (Recycling)

approved. Located at key arrival points

14 PROPOSED LIGHTING COLUMNS THE SQUARE New 8m lighting columns to illuminate central section of square - 'Kirlum' LED fitting as supplied by DW Windsor or similar ## approved. DETAILED AREA 04 (OF 05)

(5) FEATURE GATEWAY LIGHTING
Totem pole lighting to highlight key gateways - Silka 4m columns 1:100@A3
as supplied by DW Windsor or similar approved.

(B) EXIT TO PAVILION CAR PARK One-way system to car park. Any regulatory signage to engineer's details.

14.08.14

628.13-304

DO NOT SCALE FROM THIS DRAWING

THE SQUARE APPLICATION BOUNDARY

■ DG1 INFRASTRUCTURE APPLICATION BOUNDARY

